

TEST REPORT

Report Number: JAT22072203126CN-01

Product Name: Led panel light

MPL-0606-36 Etc.

(see next page for details) **Model Number:**

Classification of

Commission Test test:

Jiangsu Fulin Fluid Technology Co., Ltd. **Prepared For:**

东莞市君安检测认证有限公司

Dongguan Junan Testing & Certification Co., Ltd.

广东省东莞市沙田镇松洲路 316号 7栋303室 Address:

Room 303, Building No. 316, Minzhou Road, Shatan Town, Donggucity, Guangdong Province, China

The phone: 0769-81710286

> The url: www.junantest.com



ſ	Report number: 3A122072203120CN-01				
	TEST REPORT				
	Sample name:	Led panel light	Applicant:	MIC Optoelectronic Co.,Ltd	
1	Sample model:	MPL-0606-36	Applicant Address:	2nd floor,Third Building, 97# AiNan Road,LongDong, BaoLong Street, LongGang District, Shenzhen, China	
	Ratings:		Manufacturer:	Same as applicant	
	Trade Mark:	1	Manufacturer Address:	Same as applicant	
×	quantity:	2 units	Factory:	Same as applicant	
<	Date of Receipt:	2022.07.22	Factory Address:	Same as applicant	
	Date of Testing:	2022.07.22-2022.07.26	Test environment:	20-25℃; 50-60%RH	
<	Test Standard:	EN 62262:2002/A1:2021	1	An 141 141 141 141 141	
	Test conclusion:	Qualified		The table of the table of	
	Tested by:	Denny Zeng			
	Signature:	Denny Zeng	2022.07.26	东莞市君安检测认证有限公司 (Dongguan Junan Testing &	
	Reviewed by:	Otto Lee	A An	Certification Co. Ltd.	
	Signature:	Obloler .	2022.07.26	检测专用音	
	Approved by:	Tim You		2022.07.26	
	Signature:	7.in you	2022.07.26	tan tan tan tan	



O Cape	IK10 TEST				
Product Name:	Led panel light				
Model Number:	MPL-0606-36,MPL-0303-24,MPL-0306-36,MPL-0312-36,MPL-0612-60,M PL-R105-4,MPL-R120-6,MPL-R145-9,MPL-R160-10,MPL-R170-12,MPL- R180-12,MPL-R195-15,MPL-R225-18,MPL-R240-18,MPL-R250-20,MPL- R300-24,MPL-S105-4,MPL-S120-6,MPL-S145-9,MPL-S175-12,MPL-S19 5-15,MPL-R225-18,MPL-R250-20				
Specification					
Sample status:	Normal And				
Test type:	Field Test				
Test Location:	101-201/ 101-201, Building C, Shuanghuan, No.8, Baoqing Road, Baolong Industrial Zone, Baolong Street, Longgang District, Shenzhen, Guangdong China				
Test conditions:	Temperature (°C) : 25 Humidity (%) : 48				
Test Result:	Pass 4 An				
Test equipment:					
Equipment	Manufacturer Model# Serial# Next Cal.				
Vertical Hammer	Beck FZ-1214 DL043 2022.12.05				
Steel Ruler	Huoli FZ-1112A DL029 2022.12.06				
Toot propodure.					

Test procedure:


- (1) Place the sample on the ground, drop the Vertical Hammer which weight is 2.0kg to impact the surface of the sample from a height of 1000mm, the impact energy is 20J.
- (2) Impact for 3 times.
- (3) Check the sample after the test

Test Result: After the test, the sample is normal, no damage.


Remarks: Only the model name is different among all models. This test is conducted on the prototype of model MPL-0606-36-0606-36, and the results can cover all models.



Sample photos




Product appearance



Product appearance



Sample photos



Product appearance



Product appearance



Notice

- 1. This Test Report shall be invalid without the stamp of the testing laboratory.
- 2. Anycopy of this Report shall be invalid without the seal of the testing laboratory.
- 3. This Report shall be invalid without Tester, Reviewer and Approver signature.
- 4. Any alteration of this Report shall invalidate the entire Report.
- 5. Client shall put forward any objections to the contents of this Report within 15 (fifteen) days of receipt. Thereafter the Report contents and conclusions remainaccepted and agreed and no further changes will be considered.
- 6. The test results presented in this report relate only to the object tested.

--END--